MAYOR Barbara Jo Blain-Bellamy

> MAYOR PRO TEM Justin D. Jordan



COUNCIL MEMBERS Amanda Butler William M. Goldfinch IV Beth Helms Larry A. White Autry Benton

PLANNING DEPARTMENT CITY OF CONWAY COMMUNITY APPEARANCE BOARD MEETING Wednesday, August 23, 2023 | 4:00 P.M. Planning & Building Department – 196 Laurel Street

- I. CALL TO ORDER
- II. APPROVAL OF MINUTES (July 26, 2023)

III. CERTIFICATES OF APPROPRIATENESS

- A. <u>324 Main St (Teal Nation)</u>: The applicant, Sea Board Signs, requests approval of proposed signage, for the business located at 324 Main St. (PIN 367-01-01-0030).
- **IV. PUBLIC INPUT**
- V. BOARD INPUT
- VI. STAFF INPUT
- VII. UPCOMING MEETINGS

MEETING	DATE	<u>TIME</u>	LOCATION	ADDRESS
Board of Zoning Appeals (BZA)	August 24, 2023	5:30 p.m.	Planning & Building Dept. Conference Room	196 Laurel St.
City Council	September 5, 2023	4:00 p.m.	Council Chambers	229 Main St.
Planning Commission (PC)	September 7, 2023	5:30 p.m.	Planning & Building Dept. Conference Room 196 Laurel	
Community Appearance Board (CAB)	September 13, 2023	4:00 p.m.	Planning & Building Dept. Conference Room 196 La	

VIII. ADJOURN

CITY OF CONWAY COMMUNITY APPEARANCE BOARD MEETING WEDNESDAY, July 26, 2023 Planning & Building Dept. Conference Room – 196 Laurel Street

Present:	Duc Watts, Gerry Wallace, Jacqueline Kurlowski, Jamie McLain, George Ulrich
Absent:	McKenzie Jordan, Troy Roehm
Staff:	Jessica Hucks, Planning Director; Katie Dennis, Planning Concierge; Charlie Crosby, IT; Alex Cook, Construction Services
Other:	Al Benezra, Orit Deverell, Joe Brennand, Yosi Benezra, Bridget Stalvey

I. CALL TO ORDER

Chairperson Kurlowski called the meeting to order at approximately 4:00 p.m.

II. APPROVAL OF MINUTES

McLain made a motion to accept the minutes as written and it was seconded by Watts to approve the July 26, 2023 minutes. The vote in favor was unanimous. The motion carried.

III. CERTIFICATES OF APPROPRIATENESS

A. <u>328 Main St (Power Comics)</u>: The applicant, Joe Brennand, requests approval of painting the building facade, for the business located at 328 Main St. (PIN 367-01-01-0029).

Hucks stated the applicant, the applicant, Joe Brennand, requests approval to repaint the store front for the business located at 328 Main St for Power Comics.

The wall façade to be painted is the off-white portion of the building formerly known as Amanda Collection. The applicant is proposing to paint the building using Valspar Semi-Gloss paint in the color Stone Mason Gray 4008-1c.

The applicant, staff and the board discussed at length.

Watts made a motion to approve with the condition to pain the 2^{nd} story windows to match. McLain seconded the motion. The vote in favor was unanimous the motion carried.

B. <u>1404 Main St. (Vaught Eye)</u>: The applicant, ASL Signs, is requesting to install 3 new sign panels in the existing freestanding sign for the building located at 1404 Main St. (PIN 338-12-01-0040).

Hucks stated the applicant, ASL Signs withdrew their application and there would be no discussion or vote necessary.

C. <u>16 Elm Street (Cypress Inn)</u>: The applicant, Cypress Inn Property LLC, is requesting preliminary review on plans for a future building to be constructed beside 16 Elm St. (PIN 367-01-04-0042).

Hucks stated the applicant, Cypress Inn Property LLC, is requesting preliminary review on the future plans of expansion of the Cypress Inn.

The plans are currently under TRC review and the applicant has been made aware of some issues with the conceptual drawing by staff.

This property is located within a Special Flood Hazard Area (SFHA) and is required to meet standards of elevation, certain material types and flood openings.

At the June 28th CAB meeting the board asked the applicant to

- Provide a rendering showing the new building in relation to the existing structures
- Update renderings to show the wrap around balconies with larger column posts
- Provide a larger scale gazebo entrance for more proportion
- Explore the option of shutters
- Provide a gable bump out on the Laurel St side to provided dimension
- Provide an ADA ramp on the renderings and elevations

The applicant has received City Council approval for the Hotel/Short term rental incentive and is excited to move forward with construction.

The applicant, board, and staff discussed at length. The board requested the applicant update the renderings to show the picket fencing on the handicap railing the way it is to be installed, explore the option of adding eves across the gables to provide a more aesthetic eyebrow features, show the landscape plan, and louvered breakaway panels on the renderings.

There was no motion as the applicant is seeking a variance on the height of the structure and the board can not grant approval until the variance is granted or the height is altered to follow the requirements of the Unified Development Ordinance.

D. <u>1000 2nd Ave (Finance Building)</u>: The applicant, City of Conway, is requesting preliminary review on the installation of a new window and brick work, for the building located at 1000 2nd Ave. (PIN 367-01-01-0005).

Hucks stated the applicant, City of Conway, is requesting preliminary review on the installation of a new window, and brick work for the building located at 1000 2nd Ave.

The Finance building is adjacent to the town green and provides drive through access for customers to pay their water and sewer bills. The building received approval at the July 12th CAB meeting to install three 36", ADA compliant impact resistant commercial grade metal frame doors to match the doors installed on the Planning and Development Building located at 196 Laurel St. As well as brick in an existing door that is not used by staff.

Since the approval staff has ran into a brick matching issue and has decided to revisit the original design. They are now requesting approval to install a window to match the existing windows on the building with some brick work at the bottom of the window.

The applicant, staff and the board discussed at length.

Wallace made a motion to approve as presented seconded by Ulrich. The vote in favor was unanimous the motion carried.

E. <u>315 Kingston Street (Honey Hair Mural)</u>: The applicant, Honey Hair Studio, requests approval of proposed mural, to be installed on the Norman's Alley side of the building located at 315 Kingston St. (367-01-01-0065).

Hucks stated the applicant, Honey Hair Studio, requests approval to install a simple quote with flower themed mural, on the side of the building (Norman's Alley) located at 315 Kingston Street.

The mural will be painted on the side of the building. The mural will be about 11' (h) x 9'(w), to include bees measuring 6"-12" in size, flowers to measure 3'-4' in height and a quote "Spread kindness like a honey bee and watch the world bloom" to measure 4' (h) x 4' (W). The mural is not considered signage.

The mural will be black paint over the existing green painted wall and is intended to be simple to keep with the theme and aesthetic of the building. The paint will be a weather resistant acrylic paint with exterior durability and sealed with acrylic polymer clear sealer.

The applicant, staff and the board discussed at length.

Wallace made a motion to approve as proposed with the stenciled fonts. McLain seconded the motion. The vote in favor was unanimous the motion carried.

IV. PUBLIC INPUT

None

V. BOARD INPUT

Watts asked for an update on Carolina Appliance's storage building on Laurel St. Staff advised. Wallace has questions on how the City works with applicants with zoning issues. Staff advised.

VI. STAFF INPUT

Hucks welcomed back George Ulrich former Cab board member and now a current board member.

VII. ADJOURN

There being no further business to come before the board, a motion was made and seconded to adjourn the meeting at 4:37 pm. The vote in favor was unanimous and the motion carried.

Approved and signed this _____ day of _____, 2023.

Jacqueline Kurlowski, Chairperson

DATE: August 23, 2023 ITEM: III. A.

ISSUE:

<u>324 Main Street (Teal Nation)</u>: The applicant, Seaboard Signs, requests approval of proposed signage for the business, Teal Nation, located at 324 Main Street (367-01-01-0030).

ZONING DISTRICTS / HDRD:

Central Business District (CBD); Commercial Historic Design Review District (HDRD)

SCOPE OF WORK:

The applicant, Seaboard Signs, requests approval of proposed hanging bracket sign and window/door graphics for the business located at 324 Main St for Teal Nation. The applicant is also proposing installation of a teal band above the door with white drop shadow numbers to give the appearance of dimension.

The proposed hanging bracket sign is to measure 43" (W) X 26.75" (H), totaling 7.98 Sq. Ft. The hanging bracket sign will be approximately 12' from the bottom of the sign to the top of the sidewalk

The proposed size of the sign is compliant with the standards of the UDO for hanging bracket signs.

The applicant proposes to install 2-24" (w) X 12" (h) "Teal Nation" logos with one 20" (w) X 16" (h) "Coastal Carolina University" logo with QR code and one 24" (w) X 10" (h) hours of operation decal on the door panels that measure 30" (w) X 76" (h). The total coverage area of the decals will be 4.21 sq. ft. for one door and the other will be 4.41 sq. ft. and the maximum area allowed is 7.92 sq. ft.

The proposed size of the graphics are compliant with the standards of the UDO for window and door signage.

Renderings are included in your packet

Applicable Standards

City of Conway Unified Development Ordinance (UDO):

- Section 2.2.2, Sign-Related Definitions
- Section 11.3.2, Sign Standards by Zoning District
- Section 11.4.5 Hanging and Suspended Signs
- Section 11.4.2 Window Signs

Historic Design Review Districts: Community Appearance Guidelines:

- Section C, Ch 5: 5.1 Marketing and Sign Basics
- Section C, Ch 6: 6.1 The Primary Sign
- Section C, Ch 6: 6.2 Secondary Signs

STAFF RECOMMENDATION:

If the board chooses to grant the request, staff recommends the following conditions:

- The applicant must obtain all applicable permits
- Any deviation from what is approved shall require a re-review from this board and subsequent approval.



City of Conway Community Appearance Board

Staff Use Only

Received:__ BS&A #:_


City of Conway Planning Department 196 Laurel Street, 29526

Phone: (843) 488-9888 Conway, South Carolina

www.cityofconway.com

Property Address: 324 Main Street PIN#: 13702010					
Review Request:	Project Type:	HDRD:	Meeting Date: 08/23/2023		
Conceptual Preliminary Final Property Owner: MCMILLAN Agent: Joe Brennand/Seabor		Demolition Repairs / R Appeal th Daytime ph	eous (Fencing, roofs, etc) n / Moving of Structure Repainting with no Change e Decision of Planning Staff one: 843-349-6596 one: 843-236-8010		
Agent's mailing address: 4320 Waccamaw Blvd Agents's e-mail address: joe@seaboardsigns.com					
City: Myrtle beach Agent's relationship: Value of Project (As noted on Bu In your own words, describe	what you are requesting:	State:SC	Zip Code:29579 Real Estate Broker Other		
One sandblasted HDU blade sign hung from a scroll bracket centered on the storefront.					
The bottom of the sign will be approximately 12" from grade Logos and hour etc. vinyl graphics on entrance doors Submittal Requirements: (See attached CAB Requirements) ****Digital copies of all supporting materials must be submitted along with two hard copies: Zoning approval obtained and/or initial TRC review completed Completed CAB application Two (2) copies of all relevant information (As deemed necessary by CAB and/or Planning Director) Site plans illustrating of existing structures and/or additions Landscape plans illustrating the location of existing landscaping and proposed new landscaping;					
subject property or the authorized material will be submitted to the Community Appearance Board me 196 Laurel Street. I understand tha requirements must be satisfied pr	hature below that the foregoing applicated representative of the owner. I authority of Conway Planning Department events the second and fourth Wednesday of the second and fourth Wednesday of the project's being placed on a second sec	ze the subject property to be t no later than ten(10) days of each month at 4:00 P.M. in th ssary approvals from other city Community Appearance Board HEARD.	prior to the meeting date. The le Building & Planning Department, departments, and that all zoning		

3" sandblasted HDU w/53" deluxe scroll bracket



Joe Brennand Design • Lighting • Sales joe@seaboardsigns.com




PROJECT NAME LOCATION

Approx 12' from bottom of sign to sidewalk


4320 WACCAMAW BLVD MYRTLE BEACH S.C. 29579

Charles Johns 843-349-6596 cjohnsı@coastal.edu



843-236-8010 FAX 843-236-5609 WWW.SEABOARDSIGNS.COM

REVISION




CONTACT - Joe Brennand (843) 267-7371

This design was created by Seaboard Signs & Engraving, Inc. and cannot be used for any other outdoor advertising structures, signs, cabinets, poles, bases or structural designs without written permission.



Charles Johns 843-349-6596 cjohnsı@coastal.edu



Sketch Approved By:..... This design was created by Seaboard Signs & Engraving, Inc. and cannot be used for any other outdoor advertising structures, signs, cabinets, poles, bases or structural designs without written permission.



2.2.2 Sign-related Definitions

Refer to Article 11 for Signage Regulations.

Animation: The movement, or the optical illusion of movement of any part of the sign structure, design or pictorial including the movement of any illumination or the flashing, scintillating or varying of light intensity. The automatic changing of all or any part of the facing of a sign or any part of a sign shall be considered to be animation. Also, included in this definition are signs having "chasing action" which is the action of a row of lights commonly used to create the appearance of motion. Time and temperature units and electronic message centers are not included in this definition.

Sign: Any device designed to attract the attention of the public for commercial or advertising purposes that is attached, painted or otherwise affixed to, or a part of a building, structure, material, surface, vehicle, or object. Integral decorative or architectural features of buildings except letters or trademarks, fences, walls and works of art, which are noncommercial in nature, are not to be construed as being a sign. Sign shall include any artificial light source, time or temperature units, clocks and any device that animates or projects a visual representation that attracts the attention of the public for commercial purpose.

Sign Area (also referred to as the gross surface area): The square foot area individual symbols, letters, figures, illustrations, messages, forms, or panels, sign area shall be considered to include all lettering, wording, and accompanying designs and symbols, together with the background on which they are displayed, any frame around the sign and any "cutouts" or extensions, but shall not include any supporting structure or bracing. The aggregate sign area is the summation of the area of all sign faces combined.

Sign Copy: The portion of a sign which contains the name, logo, advertising message, or business identification and consists of all such symbols, letters, figures, insignia, illustrations, messages or forms. Sign copy does not include the border, molding or decorative framing.

Sign Face: The part of the sign that is or can be used to identify, advertise, communicate information or for visual representation which attracts the attention of the public for any purpose. Sign face includes any background material, panel, trim, color, and direct or self-illumination used that differentiates that sign from the building, structure, backdrop surface or object upon which or against which it is placed. The sign structure shall not be included as a portion of the sign face provided that no identifying/advertising message, symbol or any of the aforementioned sign face criteria are displayed on or designed as part of the sign structure, whether structurally necessary or not. In the case of signs designed with integral sign face and sign area shall be exempt from computations of sign area.

Sign Height: The vertical distance measured from the lowest adjacent street crown grade to the top of the sign face or sign structure, whichever is greater.



Sign Panel: The primary surface of a sign that carries the identifying/advertising message.

Sign Structure: A supporting structure erected or intended for the purpose of identification or advertising with or without a sign thereon, situated upon or attached to the premises upon which any sign may be fastened, affixed, displayed or applied, provided however, said definition shall not include a building or fence. If the total width of the sign structure exceeds fifty (50) percent of the total width of the sign face, the sign structure area shall be included as part of the sign area.

<u>Sign Types</u>

Abandoned Sign: Any sign that advertises a business, owner, product, service, or activity that is no longer located on the premises where the sign is displayed.

Arm Post Sign: A sign supported by a structure on one post not exceeding 8 feet in height, that is placed in the ground and which is wholly independent of any building, fence, vehicle or object other than the off centered structure for support. (Section 11.4.8)

Awning Sign: Signage or text located on the front face of an awning projection. (Section 11.4.3)

Banner: A sign or outside advertising display having the character, letters, illustrations, ornamentations, symbol, color, or visual representation applied to cloth, paper, vinyl, fabric, plastic, or like kind of flexible material with or without frame. The term banner shall include flags, pennants, life rafts, floats, spinners, streamers, kites, balloons, (but not dirigibles) and/or similar types of lighter than air objects, or any other material or outside advertising display fastened in such a manner as to move upon being subjected to movement of the atmosphere or any mechanical device.

Billboard (Traditional): A traditional sign identifying/advertising and/or directing the public to a business or merchandise or service or institution or residential area or entertainment which is located, sold, rented, leased, produced, manufactured and/or furnished at a place other than the real property on which said sign is located. Traditional Billboards do not display messages by electronic means but instead utilizes materials such as paint, vinyl and/or paper substrates. The advertisement does not rotate, but is stationary. Such signs are also known as outdoor advertising display signs. (Section 11.4.14)

Billboard (Digital): A digital billboard sign identifying/advertising and/or directing the public to a business or merchandise or service or institution or residential area or entertainment which is located, sold, rented, leased, produced, manufactured and/or furnished at a place other than the real property on which said sign is located, by utilizing a mechanism to allow advertisements to rotate in succession. Such display changes the static message or copy of the sign by electronic (digital) means. (Section 11.4.14)

Building Identification Sign: A sign bearing only the name, number(s), letter(s), and/or symbol(s) which identifies a particular building or occupant.



Changeable Copy: An element of a sign in which a message is changed manually in the field, through the utilization of attachable letters, numbers, symbols, and other similar characters of changeable pictorial panels.

Directional Sign: A sign permanently erected or permitted in the public right-of-way or private property by the state of South Carolina, or other governmental agency to denote the name of any thoroughfare, the route to any city, town, village, educational institution, public building, historic place, shrine, or hospital, to direct and regulate traffic, to denote any railroad crossing, bridge, or other transportation or transmission company for the direction or safety of the public.

Directory Sign: A sign listing the names and/or use, or location of more than one (1) business, activity or professional office conducted within a building, group of buildings or commercial center. Such a sign contains no other identifying/advertising message than that listed above. (Section 11.4.8)

Drive-Thru Sign: Drive-Thru signs shall be allowed only with a restaurant having a drive-through window. The color of such signs shall be similar to the main building or other signage for the development. (Section 11.4.16)

Electronic Message Center (EMC): A type of sign that presents its message through internal illumination of flashing, intermittent, or moving lights forming the letters, numbers, or symbols of the message, whether or not the message appears to move across the sign face. (Section 11.4.9) [ZA2019-03-18 9 (C)]

Fixed Projecting Sign: A plaque mounted on a wall, projecting 90 degrees from the building wall.

Freestanding Post Sign: A sign supported by a structure on two posts that are placed in the ground and which is wholly independent of any building, fence, vehicle or object other than the structure for support. (Section 11.4.7)

Grandfathered Signs: Signs, or sign hardware, of historic significance, such as those relating to an original business, that have a built-in nature to a significant form or style of historic architecture, or the nostalgic name of a business that has come to define a site for a long period of time.

Handbill (circular): A sign that is distributed to the public or placed on vehicles, buildings, structures, objects or surfaces as part of said distribution.

Hanging (suspended) Sign: Hanging signs and suspended signs, sometimes called "blade signs", are used to help define entries and identify business names to pedestrians. They are small and can hangover a building entry if the appropriate clearance is provided (Section 11.4.5).

Historic Identification Signs: Small date markers, "National Register" identification plaques, history signs or site identification markers that are part of a local or regional tourism initiative.



Iconic Sign: A sign whose form suggests its meaning. It may be sculptural in style and demonstrates extraordinary aesthetic quality, creativity or innovation. They typically have characteristics of art, going beyond simply advertising the why and where. It typically refers to an object in symbolic form.

L.E.D. Digital Sign: A sign or portion thereof that displays electronic images, graphics, numbers, prices, or other text information using different combinations of light emitting diodes (LEDs). (Section 11.4.9). These types of signs do not include signs which use LED lights for illumination only. [ZA2019-03-18 9 (C)]

Monument Sign: A sign in which the entire bottom of the sign face is in contact with a solid and continuous structure which is attached to the ground and made of brick, stone, or other material architecturally compatible with the principal building on the lot with which it pertains. (Section 11.4.6)

Nonconforming Signs: Any sign, which was granted a permit and was erected or displayed prior to the effective date of this Ordinance or subsequent amendments thereto which does not conform to the standards of this Ordinance.

Off-Premises Sign: A business sign which directs the attention of the public to a business, activity conducted, or a product sold or offered at a location not on the same premises where such business sign is located. (Section 11.4.14)

Official Business Directional Sign: A sign erected and maintained by the state or any entity authorized by the state to indicate to the traveling public the route and distance to public accommodations or commercial services for the traveling public.

Pole Sign: A large sign, typically facing an arterial or collector road, which is in excess of eight (8) feet in height and centered on a single support.

Political Sign: A sign erected by a political candidate, group or agent thereof, for the purpose of advertising a candidate or stating a position regarding an issue upon which the voters of the city shall vote. (Section 11.4.19).

Pole Sign: A sign supported by a structure on one pole that is placed in the ground and which is wholly independent of any building, fence, vehicle or object other than the structure for support.

Political Sign: A sign erected by a political candidate, group or agent thereof, for the purpose of advertising a candidate or stating a position regarding an issue upon which the voters of the city shall vote. (Section 11.5.6).

Portable Sign: Any sign designed or intended to be readily relocated whether or not it is permanently attached to a building, structure or on the ground. The term includes on wheels or on portable structures, tent signs, A-frame signs, sidewalk and sandwich signs and similar devices and any sign not secured or securely affixed to the ground or a permanent structure.



Private Traffic Directional Sign: A sign which is on-premise consisting of type and/or an arrow and is designed, sized and erected solely for the purpose of vehicular or pedestrian traffic direction or safety.

Projecting Sign: Projecting signs are attached to a building face and project out perpendicular to the building wall (Section 11.4.4)

Pylon Sign: A freestanding sign in excess of eight (8) feet in height that is detached from a building and is supported by one or more structural elements which are architecturally similar to the design of the sign.

Residential Subdivision Sign: The purpose of residential subdivision signs is to identify the name of a subdivision, provided the subdivision is not an in-fill project within an established neighborhood. They are usually monument signs or wall signs placed on a wall feature in a landscaped open space area at the entry of the development. (Section 11.14.11)

Roof Sign: A sign erected over or on, and wholly or partially dependent upon thereof of any building for support, or attached to the roof in any way.

Sandwich Board Sign: Sandwich-board signs can be effective for certain types of uses, such as markets, restaurants, or bakeries that have changing specials and menus. These sign may have rewritable surfaces, such as chalkboards or dry-erase boards. (Section 11.4.16)

Shopping Center Identification Sign: Shopping center identification signs are used to identify the name of a shopping center as well as the tenants within the shopping center (Section 11.4.17).

Snipe Sign: A sign which is tacked, nailed, posted, pasted, glued or otherwise poles, stakes, or fences, or to other objects, and the advertising matter appearing thereon is not applicable to the present use of the premises upon which such sign is located.

Swinging Projecting Sign: A sign projecting from the outside wall or walls of any building which is supported by only one (1) rigid support, irrespective of the number of guy wires used in connection therewith.

Time and Temperature Sign: An electrical sign utilizing lights going on and off periodically to display the current time and temperature in the community. (Section 11.4.12)

Vehicle Sign: A permanent or temporary sign affixed, painted on, or placed in or upon any vehicle, trailer or other device capable of being towed, the primary purpose of which is to attract the attention of the public rather than to serve the business of the owner thereof in the manner which is customary for said vehicle, provided that this definition does not include any signs which are required by any unit of government and does not include a single sign placed on a single vehicle or trailer at a residence of an individual which sign identifies the vehicle or trailer as being for sale.



Wall Sign: Any sign that shall be affixed parallel to the top of the wall or printed on the wall of any building in such a manner as to read parallel to the wall on which it is mounted; provided however, said wall sign shall not project above the tip of the wall or beyond the end of the building. Any sign that is affixed to the face of a building marquee, building awning, or a building canopy shall be considered a wall sign. (Section 11.4.1)

Window Sign: Any sign which is painted on, applied to, or projected upon or within the exterior or interior of a building glass area, including doors, or located within twelve (12) inches of the interior of a building glass area, including doors, whose identification, message, symbol, insignia, visual representation, logotype, or any form which communicates information, can be read from off premises contiguous property or public right-of-way. (Section 11.4.2) [ZA2021-08-16(C)]

2.2.3 Industrial District Definitions

Agricultural Processing: Processing of foods and beverages from agricultural commodities, but excludes animal slaughtering. Typical uses include canning of fruits and vegetables, processing of dairy products, and the production of prepared meats (from purchased, previously slaughtered animals).

Agricultural Research: Agricultural research use type refers to establishments for experimental greenhouse and field growing of agricultural commodities, landscaping and seeds, including experimental use of herbicides, pesticides and other agricultural practices.

Alternative Energy Production: Energy production sites dedicated to the commercial production of electricity by means of wind, solar, or other non-petroleum energy sources.

Custom Manufacturing: Custom manufacturing refers to the on-site production of goods by hand manufacturing or artistic endeavor, which involves only the use of hand tools, individually powered tools or domestic mechanical equipment and the incidental sale of these goods directly to consumers. Typical uses include ceramic studios, custom cabinet making, crafts making, candle making, custom jewelry manufacturers, woodworkers, custom furniture craftsmen, metal craftsmen, blacksmiths, and glass blowers.

High Technology (Hi-Tech) Industry: Research, development and controlled production of hightechnology electronic, industrial or scientific products. Typical uses include biotechnology firms and computer component manufacturers.

Light Industrial: Production processes which use already manufactured components to assemble, print or package a product such as cloth, paper, plastic, leather, wood, glass or stones, but not including such operations as paper, saw or mills, steel, iron or other metalwork's, rolling mills, or any manufacturing uses involving primary production of commodities from raw materials. By the nature of the activity performed and/or the scale of the operation, these uses can be located near residential or commercial uses with minimal impact to adjacent uses. Typical uses include apparel manufacturing, paper products finishing, furniture production and production of fabricated metal products.



Heavy Industrial: Heavy industry refers to production processes, which should not be located near residential or commercial uses due to the insensitive nature of the industrial activity and/or the scale of the operation. These uses may be located near other manufacturing uses exhibiting similar characteristics although special control measures may be required for some extremely intensive operations to ensure compatibility with similar industrial uses. Typical uses include equipment or vehicle manufacturing, sawmills, textile dying, leather tanning, hazardous chemical production, petroleum refining, primary metal processing and production of explosives or propellants.

Wholesaling, Storage, and Distribution. Wholesaling, storage and distribution use type refers to establishments or places of business primarily engaged in wholesaling, storage and bulk sale distribution including but not limited to, air handling of material and equipment other than live animals and plants. The following are wholesaling, storage, and distribution use types:

- Light: Wholesaling, storage and warehousing services within enclosed structures. Typical uses include wholesale distributors, storage warehouses, or moving and storage firms.
- **Heavy:** Distribution and handling of materials and equipment. Typical uses include monument sales, stone yards or open storage yards.



Section 11.3 – Sign Standards by Zoning Districts

11.3.1 Signs in Residential Zoning Districts

- A. <u>Signs Permitted in Residential Zoning Districts:</u> See Section 11.4 for specific requirements. Additionally, some Conditional Uses in Article 5 include specific requirements for signage.
- B. <u>Residential Subdivision and Multifamily Unit Signs:</u> See Section 11.4.11.
- C. <u>Religious Institutions, Educational Facilities, Cemeteries, Country Clubs, Parks, and Similar</u> <u>Recreational Uses:</u> Shall be permitted one (1) wall sign or one (1) freestanding sign per street frontage. This shall not exceed a cumulative sign surface area of fifty (50) square feet. The freestanding sign shall be a monument or freestanding post type and shall not exceed six (6) feet in height.

Religious institutions and educational facilities shall have the option of internally illumination or ground lighting; all other permitted signs shall not be internally illuminated. Such signs shall be located a minimum of ten (10) feet from any adjoining property boundary.

11.3.2 Signs in Non-Residential Zoning Districts

- A. <u>Signs Permitted in Non-Residential Zoning Districts:</u> See Section 11.4 for specific requirements. Some Conditional Uses in Article 5 also include specific requirements for signage. Additionally, some Conditional Uses in Article 5 include specific requirements for signage.
- B. <u>Religious Institutions, Educational Facilities, Cemeteries, Country Clubs, Parks, and Similar</u> <u>Recreational Uses:</u> See Section 11.4 for specific dimensions of signs permitted in non-residential districts.



Section 11.4 – Sign Standards by Sign Type

11.4.1 Wall Signs

Wall signs include most types of signage that are attached to the face of a building wall. These include channel letters made out of wood, metal or plastic. Wall signs may be painted on a wall, or on a board that is attached to a wall.

Wall signs should be oriented to achieve balanced composition and harmony with other architectural elements of a building façade. Wall signs should be placed on a flat building surface and should not be placed over or otherwise obscure architectural building features. Changeable copy signs are not permitted as a wall sign, except for cinemas, theaters, and auditoriums.



A. Location and Number Permitted

Only one wall sign per tenant will be allowed and shall be located at the Public Entrance. A second wall sign will be allowed if the building is located on a corner lot, installed on another facade or if there is a second public entrance. The maximum number of wall signs permitted is two (2) per tenant space.

B. Size

Wall signs may be a maximum of 15% of the building face where the sign is attached. The changeable copy if included in wall signs shall be limited to six (6) square feet.

C. Illumination

Wall signs may be illuminated by any means consistent with Section 11.1.8.

D. Zoning

Wall signs are allowed in all zoning districts.

11.4.2 Window Signs

Window signs should be scaled to the pedestrian and oriented to window shoppers on the sidewalk, as opposed to vehicles passing by. Window signs should be limited to small graphics and text that serve to frame a window or to provide information. A window sign should not obscure the view into a store or place of business.

A. Location and Number Permitted

There is no specific location requirement or limit to the number of window signs allowed. A window sign is a sign that is painted on or attached to a window. Window signs



do not include business hours of operation or open/closed signs. Window displays, including merchandise displays, graphics and text, that are located twelve (12) inches or more from the face of a window are not considered signs. <u>Window signs shall not count towards the cumulative number of signs permitted</u>.



B. Size

Window signs are limited to a maximum of twenty-four (24) square feet. Window signs shall not exceed 25% of any individual window and 50% of glass panes of any door.

C. Illumination

Window signs may be illuminated by any means consistent with Section 11.1.8 of this article.

D. Zoning

Window signs are allowed in all non-residential zoning districts.

E. Exemptions:

Removable signs that promote specials, sales or other similar information may be placed in a window provided such sign does not exceed 25% of the window area and is limited to one (1) per tenant space. This sign will be exempt from sign permit procedures.

11.4.3 Awning Signs

Awning Signs should be limited to the skirt of the awning. Signs should only be considered for the awning face if there is no other alternative location for signage on a given storefront or property.

A. Location and Number

Signs may be located on awnings subject to size criteria. One awning sign is permitted per tenant space and must maintain a minimum clearance of 8 feet above any public right-of-way or private sidewalk area.



B. Size

Signs on awnings shall not cover more than twenty-five (25) percent of the main area of the awning, or exceed 25 square feet in size, whichever is smaller.

C. Illumination

Awning signs may be externally illuminated consistent with Section 11.1.8. Back-lit, translucent awning signs are prohibited.

D. Zoning

Awning signs shall be allowed in all non-residential zoning districts.

11.4.4 Projecting Signs

Projecting signs are attached to a building face and project out perpendicular to the building wall. Projecting signs are very effective when oriented to pedestrians on the sidewalk level. Appropriate materials include wood and metal with carved or applied lettering, or any other material that is architecturally compatible with the building that the sign is attached to. Multiple projecting signs should not be installed within ten (10) feet of each other if on the same property and should be separated from projecting signs on adjacent properties by ten (10) feet to insure proper visibility.





Adopted December 12, 2011 Last Amended October 3, 2022

A. Location and Number

Projecting signs must be attached to building façades that have a public entrance and must maintain a minimum clearance of 8 feet above the public right-of-way or private sidewalk area. One projecting sign is allowed per tenant space. The sign copy of each sign face of a fixed projecting sign shall include the identification of the business(es) and the principal service or commodity offered or sold on the premises.

B. Size

Projecting signs may have a maximum area of twelve (12) square feet in the NC (Neighborhood Commercial), CC (Core Commercial), P (Professional), IN (Institutional), IC (Institutional Campus) and WRD (Waccamaw Riverfront). The maximum sign area shall be twenty-four (24) square feet in the HC (Highway Commercial) and CBD (Central Business District) zoning districts.

C. Illumination

Projecting signs may be illuminated by any means consistent with Section 11.1.8.

D. Zoning

Projecting signs are allowed in the P, NC, CBD, CC, WRD, IC, IN and HC zoning districts only.

11.4.5 Hanging and Suspended Signs

Hanging signs and suspended signs, sometimes called "blade signs", are used to help define entries and identify business names to pedestrians. They are small and can hangover a building entry if the appropriate clearance is provided. Hanging signs can be particularly useful for storefronts that have multiple tenants.



A. Location and Number

Hanging or suspended signs must be attached to building façades that have a public entrance and must maintain a minimum clearance of 8 feet above any public right-of-way or private sidewalk area. One hanging or suspended sign is allowed per tenant space.

B. Size

Hanging signs may have a maximum area of eight (8) square feet. The Community Appearance Guidelines should be referenced for specific design criteria in the CC, CBD, and WRD districts.

C. Illumination

Hanging signs and suspended signs may be externally illuminated, although ambient light is usually sufficient to light these small signs.

D. Zoning

Hanging and suspended signs are allowed in all zoning districts.



INTRODUCTION TO SIGN BASICS Chapter 5

5.1. Marketing and SIGN BASICS

The City of Conway has a sign ordinance, (*City of Conway Unified Development Ordinance*, Article 11) which takes precedent. These guidelines have been designed to work as a suppliment of visual suggestions for traditional commercial building owners throughout all local Historic Design Review Districts (HDRDs). Significant focus is given to buildings in the historic commercial HDRD. It is the intent of this section to help building owners understand their building features and how the best scale, type, materials and placement of signage will benefit their businesses.

The quality and amount of signs on buildings has a great impact on the appearance of a downtown area, either positive or negative. Each and every storefront should be an individual statement for its intended market and audience, while also appearing in harmony with neighboring businesses.

Different types of signs serve different purposes in a downtown area. In most areas of any downtown, first impressions may be from an automobile, and certain signs are designed to be seen from that vantage point. Other signs are intended for the pedestrian to read while

"Keep It Simple"

While these guidelines are intended to prevent sign and visual "clutter" in the downtown district, they are primarily meant to guide the business owner as to traditional placement and good design. Keeping information and expression within established guidelines not only helps each business but the entire district as a whole.



Primary Signs Home, Yard Placement & Lighting: pg.D.17

strolling the sidewalk. The building or retail owner's choice of materials, size, scale and type of signage are reflective of the way that the business is intended to be portrayed. A general rule of identification is that any patron needs only to recognize where a business is once. These traditional commercial sign guidelines provide for the multiple types of commonly used signs that are required for the best business visibility. This chapter suggests how to "read" individual buildings in order to identify proper sign placement depending on each primary facade and divide the facade area for "business divisions" if there might be multiple sign users.

With the City of Conway's rich architectural history, exemplified by distinct building styles over many periods of its history, simple "marketing" rules related to signage remain basic:

- "KEEP IT SIMPLE"
- STAY IN CONTEXT
- USE APPROPRIATE SCALE
- FOLLOW GOOD SIGN PLACEMENT
- CREATE A "HIERARCHY" OF SIGN TYPES

APPROPRIATE:



Keeping sign clutter down, information simple, and aligned in traditional "signband" locations is important in the CBD where businesses are close together. Bold lettering or sign boards within prescribed architectural space is key.

INAPPROPRIATE:



This is an example of a downtown commercial district that lacks signs where signs are meant to be. This does nothing to help these businesses promote themselves.

C TRADITIONAL COMMERCIAL SIGN GUIDELINES

Chapter 5

INTRODUCTION TO SIGN BASICS

5.1. Sign Basics (continued)

The Context of Signs

Beyond City sign ordinances, these guidelines should help identify and the use of sign construction appropriate to the building style and how the sign will be seen within the surrounding environment. Signs should work in context with the architecture of the individual building. Use fundamental features of the facade such as building piers, storefront cornices, and storefront framing for traditional and best placement of signs (Figure 3.2 next pg). Many upper facade features and stylized materials will provide built-in framing. Any new or reproduction sign should be consistent with the placement and type of signage that would historically have been used (or intended to be used) with that building. A building should not be adorned with signs that change the construction of the facade or the storefront. For example, overly "built" theme fronts and amenities that change the character of the architecture. The sign should be considered an expression of the type of business and therefore an extension of that individual business's identity, but also take in consideration the historic architecture.

If the storefront or business model is designed to utilize contemporary sign materials, a traditional approach with respect to placement, size and scale relative to the building features should still be followed. (Especially see "Scale" below.) In addition, the sign and its method of attachment should be reversible to the building itself to the greatest extent possible in order to maintain the integrity of significant building materials.

Use Appropriate Scale

Scale can be fairly subjective. Size limits set within City of Conway Unified Development Ordinance, Article 11 and additional suggestions, based on "sign types" in these guidelines, should help guide maximum scale on historic buildings. To judge "scale" each business must weigh the overall coverage of all signs being used on its facade, the perception the business is going to create, and how the signage aligns with neighboring signs. The average size of other signs in the immediate downtown environment might determine whether sign scale in a particular part of a district is smaller or larger than allowable. A marketing rule for scale is generally the smaller the sign and less information provided, the more sophisticated the business will be perceived. Businesses that cram type on out-of-scale signs are often perceived as lower-end or discount.

Pg. C.2 Historic Design Review Districts: Community Appearance Guidelines - Conway, South Carolina

APPROPRIATE:



A single-bay contemporary framed storefront with traditional construction is shown here with an appropriate amount of signs. The design of a primary blade sign and secondary sign band over the door is in-context with the character of the space, the architecture and business.

APPROPRIATE:



Scale of signs work in a pedestrian oriented district and must not dominate the architecture. Note how upper facade architecture pre-defines size.

INAPPROPRIATE:



Flat vinyl letters applied to an out-of-scale signboard construction are shown above. The entire sign is set across facade elements such as building piers, banding and slightly over the storefront opening edge. This becomes out of context to the traditional architecture.

INAPPROPRIATE:



A sign that is too small for the large area of the upper facade is out of scale. This may interrupt the rhythm viewing signs and horizontal continuity of the block. The entire business may be overlooked.

TRADITIONAL COMMERCIAL SIGN GUIDELINES

С


5.1. Sign Basics (continued)

Follow Good Sign Placement

5.1.1 In no case shall a sign applied to a building be allowed to obscure any significant architectural details of a building face, nor shall a wall sign be designed to cover existing windows.

Fig. 3.2: Contextual Types and Placement of Signs

For example only, all signs shown would not be allowed on one building:



Create a Hierarchy of Sign Types

These guidelines use three different sign category terms to suggest a traditional system of sign "hierarchy" per business division, rather than per facade (see also Section C, Chapter 5.4 "Dividing the Facade for Clearer Signage"):

- PRIMARY SIGN
- SECONDARY SIGN(S) .
- SUBORDINATE SIGNS .

Quick Reference Guide to These Sign Guidelines:



Primary Signs: pg. C.8-C.9 Secondary Signs: pg. C.10 Chapter 6 DOWNTOWN COMMERCIAL SIGN SUGGESTIONS

6.1. The Primary Sign

Description and Use:

The PRIMARY SIGN is NOT expressly defined as such in the *City of Conway Unified Development Ordinance*. This sign "category" is exemplary within these guidelines ONLY for the most traditional use and placement of the most dominant sign (i.e. largest in size and prominently placed on the upper facade, hung from public exterior, brightest lit, etc.). (Fig. 3.6)

- 61.1 The Primary Sign should ONLY be the business name, logo or business type (i.e. "Bicycles," "PIZZA," "Food," "EAT," "Loans," etc.).
- 6.1.2 The Primary Sign may be a dimensional icon, graphically depicting the type of business.
- 6.1.3 A side wall mural may become the Primary Sign and will probably exceed the suggested size on that facade. A variance may be granted for a wall mural sign if the CAB determines it appropriate; however, any other signs on any facade will be "secondary" to this sign. Painting on unpainted historic, natural brick surface may not be allowed.
- 6.1.4 **Awnings should NOT be used for Primary Signs,** as they are a building amenity; however, awning valances may be used for Secondary or Subordinate Signs.

Significant Historic "Grandfathered" Signs:

(As identified by the CAB) these signs MUST be retained as they are part of the history of the facade, storefront or building in some way.

6.1.5 Grandfathered historic signs may be covered with new board or neon re-worked to accommodate a new business as long as modifications are "reversible" to the historic sign.

Suggested Amount:

ONE Primary Sign per "business division" of the primary 6.1.6 facade (see Section C, Chapter 5.4 "Dividing the Facade for Clearer Sign-age" to see suggestions on visually dividing the facade per usage). A SECOND Primary Sign may be used on a corner building with 2 facades.

General Size Suggestions:

^{6.1.7} Primary signs, with the exception of projecting hanging signs, may be a maximum of 100 square feet or 15% of the building face where the sign is attached, whichever is less.

- 6.1.8 The widest point of ONE dimension (vertical or horizontal) of the Primary Sign should not exceed three (3) feet, or fit into a circular diameter of five (5) feet. No Primary Sign should exceed 100 square feet.
- ^{61.9} Window signs (as Primary Signs) on or above the second floor may obtain a variance to cover no more than 30% of any <u>one</u> window.
- 6.1.10 A hanging or projecting sign, known as a "blade" sign, will usually be much smaller than the allowed general size based on construction limitations. The size of a blade sign depends on the room for, and style of, the bracket hardware, adequate space for stabilization (if wires are needed), and weight/stress on the building. These factors, plus the projecting space over the storefront coupled with potential right-of-way liabilities, will usually lead to this reduction in size from a mounted Primary Sign. **Generally, blade sign size is within eight to ten square feet.**

SPECIAL NOTES:


6.1.11 The Community Appearance Board may determine, in specific cases or in general that the full size suggestion is too large "in-scale-to" or obstructing significant architecture. The CAB will suggest an appropriate size. Primary "blade" signs will usually be much smaller than the maximum allowed size. Awnings should generally not be used as primary signs, however if granted the lettering placement and size will require additional review (see below).



In very few circumstances should Primary Signs be mounted on an awning. If the business should happen to change the entire awning becomes irrelevant. In the example there is room for a horizontal sign board above and the awning can be mounted slightly lower for more sign room. If the only option is an awning sign, scale and placement of the lettering must not be obtrusive. <u>Awning lettering</u> should follow primary sign suggestions.

DOWNTOWN COMMERCIAL SIGN SUGGESTIONS **Chapter 6**

Fig. 3.6: Suggested Primary Sign Types



(A) Hanging "Blade" Sign

(B) Flush Mounted Sign

In the example above, a dental practice may have a Primary Sign that will read "HAPPY TEETH ON MAIN" which is the actual name of the business - or simply "DENTIST." It will be the most predominant sign on the facade in one of three configurations shown:


- (A) a perpendicular hanging sign, or "blade" sign, over the sidewalk and storefront, side or corner mount,
- (B) mounted or painted to a flush surface on the building designated for sign use, or

living

(C) the sign may just be a large fiberglass tooth hung from the side, front or corner of the building. NOTE: a second Primary Sign may be used on aditional facade of a corner building.



Combination mid-century primary (& secondary) sign appropriate to significant (ca.1940s) auto-oriented commercial on Elm Street. With new business only a change in the panels should occur.



The above images are for example only. This does not represent the only application and design of signs possible, as every building and allowable sign area is individually unique.



Flush primary signs centered to the front of the main storefront and a second, primary sign centered over a display on a side facade. Signband area is defined by the architecture. These primary signs are scaled well with the largest over front.



Businesses in Conway are starting a trend of elaborate, artistic blade sign brackets and hardware for primary signs. This is a unique feature to Conway as a district and the dimensions of the hardware add another level to the signage.

TRADITIONAL COMMERCIAL SIGN GUIDELINES С

Chapter 6 DOWNTOWN COMMERCIAL SIGN SUGGESTIONS

6.2. Secondary Signs

Description and Use:

SECONDARY SIGNS are NOT expressly defined as such in the City of Conway Unified Development Ordinance. This sign "category" is exemplary within these guidelines ONLY for the most traditional suggested use and placement of additional signs, generally secondary, to the Primary Sign or "supporting signage" to the business name or identity (Fig. 3.7).

- 6.2.1 Secondary Signs can be located in many places on the facade, and they must be approved by the CAB to be "secondary" in nature to the Primary Sign. This includes repeated, matching signs in display windows
- 6.2.2 The Secondary Sign may be the business name or the type of business applied to the valance or "skirt" of the primary awning.
- 6.2.3 The Secondary Sign may include tag lines below the name, graphics, or proprietor / professional's name and title, or slogan.
- 6.2.4 The Secondary Sign could be a dimensional icon graphically depicting the type of business; however it SHOULD be smaller than the Primary Sign as described below.
- 6.2.5 Neon, channel letter or any internally-lit signs are NOT permitted as Secondary Signs.

Suggested Amount:

- 6.2.6 Generally ONE per "business division" of the primary facade, with the exception of matching window signs (see Section C, Chapter 5.4 "Dividing the Facade for Clearer Signage" for suggestions on visually dividing the facade per usage).
- 6.2.7 An identical PAIR (set) of window signs (on multiple display windows) can be counted as one Secondary Sign. (Fig. 3.7)

General Size Suggestion (each):


- 6.2.8 Suggested at 20% or less of the square footage of the Primary Sign.
- At any time, no single window should be covered more than 25% and 6.2.9 no single door glass more than 50% (City of Conway Unified Development Ordinance, Article 11). Window signs on or above the second floor (if upper levels are used as part of the primary business at street level) should be limited to one or two words (i.e. "PUB," "Dentist," "TAT-TOO," or "Law Firm"), or simply not used at all to avoid clutter.

Historic Design Review Districts: Community Appearance Guidelines - Conway, South Carolina Pg. C.10

Additional Sign Suggestion (to reduce clutter):

- 6.2.10 If the business is located on a corner, occupies multiple storefronts, or in a stand-alone structure, then EACH facade (storefront) might have one (1) additional Secondary Sign upon that facade. NOTE: The entire business should still have only one (1) Primary Sign, however.
- 62.11 If there is an identical window sign (to create a pair) within a separate display window pane, and each conforming to the size limitations listed above, then the pair (set) might be used.
- 6.2.12 When using multiple lines of type or full logos in mass, at their widest point, should not exceed three (3) feet. Single lines of type or line graphics might be exempt from this limitation.

Fig. 3.7: EXAMPLE of Suggested Secondary Signs



Using the Flush Primary Sign, from the previous Figure 3.6, the Primary Sign reads "HAPPY TEETH ON MAIN," The Secondary Signs are applied as a pair of signs to the two storefront windows. NOTE: This is a matching pair of signs as suggested to count together as one Secondary Sign - the dentist may still place "Subordinate Signs" described next.