


PLAN - STRIPING AND SIGNAGE



SECTION A-A

NOTES:

1. CONCRETE SHALL MEET THE REQUIREMENTS OF SECTION 337.10 OF THE LATEST EDITION OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
2. AGGREGATE BASE MATERIAL SHALL MEET THE REQUIREMENTS OF SECTION 302 & 308 OF THE LATEST EDITION OF THE STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION.
3. MEDIAN ISLAND SHALL NOT BE LOCATED WITHIN 20' OF ANY DRIVEWAY UNLESS OTHERWISE APPROVED.
4. LANDSCAPED MEDIAN ISLANDS SHALL REQUIRE APPROVAL BY THE CITY OF ELKO ENGINEER PRIOR TO INSTALLATION.
5. MEDIAN ISLAND RADII SHALL BE 2'.

NO.			REVISION			DATE			STANDARD DETAILS FOR PUBLIC WORKS CONSTRUCTION			SECTION	
									TYPE 1 TRAFFIC CALMING			TRAFFIC	
												DRAWING NO.	
									CITY OF ELKO, NEVADA			T-3.1	
												DATE	PAGE
									11/30/07	1			