

**City of New London
Street Opening Permit Application**

Date of Application: _____ Proposed Start Date: _____

Address of Work: _____

Description of Work:

Sewer Lateral Installation – New / Replacement

Water Lateral Installation – New / Replacement

Storm Sewer Installation

Other:

Describe _____

Plumbing Permit No. _____

Diggers Hotline Ticket Number _____

Certificate of Insurance

\$5000 Performance Bond or \$5000 Certified Check (Submitted to Dept. of Public Works)

Minimum Personal Requirements:

OSHA Trench Safety Qualified Person: Name: _____

Pipe Installer: _____ License No. _____

Minimum Contractor's Equipment List:

Traffic warning signs to include: 2 Road Closed, 2 Utility Work Ahead, 10 Traffic Cones, 4 "A" Frames with Flashing Lights.

Excavator

Dump Truck

Soil Compactor

Trench Box or Trench Shoring (Or be willing to excavate out to safe distance)

2 Soil dewatering pumps capable of pumping a minimum of 50 GPM

Portable electric generator if using electric pumps

Information to be obtained from City of New London prior to permit issuance:

Department of Public Works – (920) 982-8503

San. Sewer Main Diameter: _____ Storm Sewer Main Diameter: _____

San. Sewer Main Material: _____ Storm Sewer Main Material: _____

San Sewer Main Depth: _____ Storm Sewer Main Depth: _____

New London Utilities – (920) 982-8516

Water Main Diameter: _____ Water Main Material: _____ Water Main Depth: _____

Street Repair Requirements:

Road patches must be complete within 15 working days of finishing project, dependant on the weather. This includes curb and gutter and all concrete or asphalt replacement. Gravel filled trenches are to be maintained by the contractor. If a contractor is not able to complete the road patch within this 15 day time period, a cold patch must be installed and maintained by the contractor until the final patching is done. Final asphalt patches must be hot mix asphalt. Curb and gutter and road patches not completed within 60 calendar days will be made by the Department of Public Works and the cost of such work will be deducted from the performance bond or certified check. Failure to comply with this subsection may also result in a per day fine as provided in Chapter 25, Municipal Code of New London. The Permittee will be responsible for maintaining the trench for a period of two years. **Note: A suitable backfill material must be compacted to 95% of maximum density. The Public Works Department can request that a granular backfill be used if native material is unsuitable for backfill. A minimum of 12" of ¾" crushed aggregate base course (see Wis. Dep. Of Transportation Specification Chapter 305) must be put at the top of the trench and compacted before blacktop or concrete is installed.**

Permit OK'd by:

Jeff Bodoh – Director of Public Works _____ Date: _____

Steve Thompson – New London Utilities _____ Date: _____

Cc: Chairman – Board of Public Works

Restoration Approval: _____ Date: _____

Note: All signatures must be obtained prior to permit issuance. If a meeting of all departments is preferred, the contractor may request a meeting when he picks up the permit application. In most circumstances a meeting can be scheduled within 48 hours.

I have reviewed City of New London Municipal Code Chapter 8.03, and agree to meet all the requirements placed on the contractor. I have provided the City of New London with a copy of my Certificate of Insurance and Performance Bond or Certified Check for this project. I agree to hold the City of New London harmless from any liability arising from this work or activity for which I am applying.

Signed _____ Print Name _____

Of (Company Name) _____ Date _____

Mailing Address _____

Phone Number _____ Cell Phone _____